Compact mono inkjet printing system

# RICOH Pro<sup>™</sup> V20000 series





www.ricoh-europe.com

## Small footprint – big productivity

Printers are always looking for new ways to produce short-run mono printing cost-effectively and that's where the new Ricoh Pro<sup>™</sup> V20000 and Ricoh Pro<sup>™</sup> V20100 come in.

This versatile and simple to use family of systems brings competitive mono production to the critical communications, publishing, pharmaceutical, transpromotional and direct mail markets.

The compact and easy to run systems also offer a clear upgrade path for existing toner-based operations. This is particularly the case for those in the direct mail and transpromotional sectors who are looking to replace ageing equipment, improve operational efficiency and flexibility as well as take advantage of inkjet's lower running costs.

## **Key features**

The new Ricoh Pro<sup>™</sup> V20000 series is fast, cost-effective and productive. The top of the range V20100 can print over 20 million pages a month, or 36 million metres per annum, with no reduction in print quality and on a wide range of papers – a real production deadline beater.

With a choice of two speeds – 75m/min or 150m/min, and print widths of up to 558mm, the Ricoh Pro<sup>™</sup> V20000 mono series really are built for the low, mid-range and even high volume production.

### **Reliable consistent print results**

It is just so simple.

Compared with other digital printing technologies, piezo ink jet with aqueous pigmented ink is the most effective way to print. The precisely controlled droplets minimise the amount of fluid used reducing costs and preventing the paper stress that is often seen with alternative inkjet solutions.

As with all inkjet systems, there are fewer requirements for manual intervention compared to toner based technology and the result is enhanced reliability, greater machine availability and lower support costs.

## **Print quality**

High quality pigmented inks print exceptional solid black and with our use of greyscale ink jet technology and a native resolution of 600dpi x 600dpi we providing excellent text, halftones and solids.

## **Small footprint**

With an engine footprint of less than 4.3 square metres, the V20000 series delivers more print per square metre than any other press in its class – increasing production floor-space availability by at least 50% compared to twin engine devices. This gives you more production for your investment.

### Models

MODEL	ТҮРЕ	SPEED (MPM)	RESOLUTION	AMPV A4 PER MONTH
RICOH PRO V20000	MONO FULL DUPLEX	75	600 X 600	UP TO 20 MILLION
RICOH PRO V20100	MONO FULL DUPLEX	150	600 X 600	UP TO 40 MILLION

## Applications

For high-volume users the Ricoh Pro<sup>™</sup> V20000 series delivers exceptional quality for a wide range of applications.

## Publishing

For the on-demand book and manuals sector, the V20000's ability to operate with inline finishing makes it a highly productive tool that offers exceptional return on investment. And the print quality is excellent – crisp blacks, and rich halftones page after page.

## **Transactional and Direct Mail**

High speed data streaming gets the volume out. Monochrome inkjet printing of preprinted shells can still give the lowest cost per page of any transactional printing solution – an ideal replacement for ageing toner-based devices.

## **Pharma leaflets**

With the ability to print on light-weight certified Pharma papers, the Ricoh Pro<sup>™</sup> V20000 series provide the right platform to take advantage of the rapidly growing market for digitally printed Pharmaceutical leaflets and onserts



Duplex printing in a single tower



Great print quality



Piezo ink jet heads with aqueous pigmented ink



## **RICOH Pro™ V20000 series**

## System specifications

#### Engine technology

Piezo Drop on Demand ink jet

#### Printing speed

Up to 150m/min

### **Print resolution**

- 600 x 600dpi native
- Print width min 200mm – max 558mm
  2 up A4 (1/1)
  3 up 170mm x 240mm

#### **Engine dimensions**

- Print engine 1.93m x 2.22m
  18.9L ink supply unit
  Power and ink cabinets plus web guide are seperate units

#### Weight

Print engine 1200kg
Power cabinet: 250kg
Web treatment module: 250kg
18.9L ink supply unit 200kg

#### Power

Compressed air – single drop @ 8–10 bar, clean and dry Extraction – single drop from print section

#### Environment

- Optimal temperature range 21°C +/- 1°C (70°F +/- 1°F)
   Optimum humidity 40–60%
   Dust controlled environment preferred

## Finishing

- Specification 3rd party finishing devices I/F specification: Type 1A/+
- Finishing solutions Multiple partners provide a variety of unwind, rewind, cut, fold, dynamic perforation, vision systems and inline processing, including a solution for books

## Data stream support

PDFIPDS/AFP

- Media support
- 45–250 gsm
  Uncoated, Inkjet treated

Supplies Aqueous Pigment 18.9 litres
 Printhead flushing fluid



www.ricoh-europe.com

The facts and figures shown in this brochure relate to specific business cases. Individual circumstances may produce different results. All company, brand, product and service names are the property of and are registered trademarks of their respective owners. Copyright © 2017 Ricot Europe PLC. All rights reserved: This hordure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/ or incorporated into other works without the prior written permission of Ricoh Europe PLC.

#### About Ricoh

Ricch is a global digital technology specialist with 30 years of developing, innovating and manufacturing office image equipme production print solutions, document management systems and IT services. It is known for the quality of its technology, the exceptional standard of its customer service and sustainable initiatives that help businesses be more productive and profitable.